

## Compression Type Coupling

### Industry Standards

- UL 514B
- Fed. Spec. W-F-408E
- NEMA FB-1

### Construction


- Steel with Zinc Plated finish

### Application

- For use in joining two lengths of EMT

### Features

- Compression type coupling
- Concrete tight when taped



catalog number	size in inches	box qty.	weight lbs. per unit	weight lbs. per box	dimensions (in.)	
					A	B
AI MEC-760	1/2"	50	0.12	6	1.690	1.17
AI MEC-761	3/4"	25	0.19	4.8	2.001	1.43
AI MEC-762	1"	15	0.28	4.2	2.126	1.76
AI MEC-763	1-1/4"	20	0.44	8.8	3.064	2.16
AI MEC-764	1-1/2"	5	0.70	3.5	3.126	2.39
AI MEC-765	2"	10	0.93	9.3	2.376	3.39
AI MEC-766	2-1/2"	8	1.33	10.64	4.876	3.75
AI MEC-767	3"	4	1.75	7	5.251	4.26
AI MEC-768	3-1/2"	4	2.20	8.8	5.501	4.75
AI MEC-769	4"	4	2.50	10	5.751	5.31

## Compression Type Rain-tight Coupling

### Industry Standards

- UL 514B
- Fed. Spec. W-F-408E
- NEMA FB-1

### Construction


- Steel with Zinc Plated finish
- Nylon
- Steel Locknut

### Application

- For use in joining two lengths of EMT
- Suitable for Outdoor use

### Features

- Compression type coupling
- Water tight and concrete tight assist to protect from environmental elements



catalog number	size in inches	box qty.	weight lbs. per unit	weight lbs. per box	dimensions (in.)	
					A	B
AI MECR-760	1/2"	50	0.14	7.00	1.626	1.126
AI MECR-761	3/4"	25	0.21	5.25	1.751	1.376
AI MECR-762	1"	15	0.29	4.35	1.876	1.688
AI MECR-763	1-1/4"	20	0.49	9.80	2.251	2.063
AI MECR-764	1-1/2"	5	0.60	3.00	2.251	2.251
AI MECR-765	2"	10	0.79	7.90	2.376	2.751
AI MECR-766	2-1/2"	8	2.05	16.40	3.876	3.626
AI MECR-767	3"	4	2.63	10.52	4.001	4.251
AI MECR-768	3-1/2"	4	3.09	12.36	4.688	4.688
AI MECR-769	4"	4	3.93	15.72	4.938	5.188

## Set Screw Type Coupling

### Industry Standards

- UL 514B
- Fed. Spec. W-F-408E
- NEMA FB-1

### Construction


- Steel with Zinc Plated finish

### Application

- For use in joining two lengths of EMT

### Features

- Pre-set and staked tri-head screws on sizes 1/2" to 2"
- Hex screws on 2-1/2' to 4"
- Concrete tight when taped



catalog number	size in inches	box qty.	weight lbs. per unit	weight lbs. per box	dimensions (in.)	
					A	B
AI MES-760	1/2"	50	0.10	5.00	1.750	0.880
AI MES-761	3/4"	25	0.15	3.75	2.125	1.060
AI MES-762	1"	15	0.24	3.60	2.500	1.310
AI MES-763	1-1/4"	20	0.44	8.80	3.250	1.690
AI MES-764	1-1/2"	5	0.68	6.8	3.750	1.940
AI MES-765	2"	10	0.90	9.00	4.000	2.380
AI MES-766	2-1/2"	8	1.58	15.80	4.250	3.190
AI MES-767	3"	4	2.17	17.36	4.500	3.190
AI MES-768	3-1/2"	4	2.50	10.00	4.750	4.310
AI MES-769	4"	4	2.83	11.32	5.000	4.810

Note: 1/2" through 1" = 1 Screw • 1-1/4" through 2" = 2 Screws