

## Rigid Conduit Nipples 1/2" to 2 1/2"

### Industry Standards

- UL 6
- Fed. Spec. WW-C 563



### Construction

- Steel with Zinc Plated finish

### Application

- For use in lengthening or ensuring correct alignment of two lengths of threaded Rigid and IMC

### Features

- NPT Threading

| catalog number | conduit size inches | length in inches | box qty. | weight lbs. per unit | weight lbs. per box |
|----------------|---------------------|------------------|----------|----------------------|---------------------|
| AI N 50- CL    | 1/2"                | CLOSE            | 25       | 0.06                 | 1.5                 |
| AI N 50- 150   | 1/2"                | 1 1/2"           | 25       | 0.08                 | 2                   |
| AI N 50- 200   | 1/2"                | 2"               | 25       | 0.12                 | 3                   |
| AI N 50- 250   | 1/2"                | 2 1/2"           | 25       | 0.15                 | 3.75                |
| AI N 50- 300   | 1/2"                | 3"               | 25       | 0.26                 | 6.5                 |
| AI N 50- 350   | 1/2"                | 3 1/2"           | 25       | 0.26                 | 6.5                 |
| AI N 50- 400   | 1/2"                | 4"               | 25       | 0.26                 | 6.5                 |
| AI N 50- 500   | 1/2"                | 5"               | 25       | 0.33                 | 8.25                |
| AI N 50- 600   | 1/2"                | 6"               | 25       | 0.4                  | 10                  |
| AI N 50- 800   | 1/2"                | 8"               | 25       | 0.54                 | 13.5                |
| AI N 50-1000   | 1/2"                | 10"              | 25       | 0.68                 | 17                  |
| AI N 50-1200   | 1/2"                | 12"              | 25       | 0.82                 | 20.5                |
| AI N 75- CL    | 3/4"                | CLOSE            | 25       | 0.09                 | 2.25                |
| AI N 75- 200   | 3/4"                | 2"               | 25       | 0.14                 | 3.5                 |
| AI N 75- 250   | 3/4"                | 2 1/2"           | 25       | 0.19                 | 4.75                |
| AI N 75- 300   | 3/4"                | 3"               | 25       | 0.26                 | 6.5                 |
| AI N 75- 350   | 3/4"                | 3 1/2"           | 25       | 0.28                 | 7                   |
| AI N 75- 400   | 3/4"                | 4"               | 25       | 0.33                 | 8.25                |
| AI N 75- 500   | 3/4"                | 5"               | 25       | 0.42                 | 10.5                |
| AI N 75- 600   | 3/4"                | 6"               | 25       | 0.52                 | 13                  |
| AI N 75- 800   | 3/4"                | 8"               | 25       | 0.73                 | 18.25               |
| AI N 75-1000   | 3/4"                | 10"              | 25       | 0.89                 | 22.25               |
| AI N 75-1200   | 3/4"                | 12"              | 25       | 1.09                 | 27.25               |
| AI N100- CL    | 1"                  | CLOSE            | 25       | 0.16                 | 4                   |
| AI N100- 200   | 1"                  | 2"               | 25       | 0.22                 | 5.5                 |
| AI N100- 250   | 1"                  | 2 1/2"           | 25       | 0.28                 | 7                   |
| AI N100- 300   | 1"                  | 3"               | 25       | 0.26                 | 6.5                 |
| AI N100- 350   | 1"                  | 3 1/2"           | 25       | 0.42                 | 10.5                |
| AI N100- 400   | 1"                  | 4"               | 25       | 0.48                 | 12                  |
| AI N100- 500   | 1"                  | 5"               | 25       | 0.63                 | 15.75               |
| AI N100- 600   | 1"                  | 6"               | 25       | 0.8                  | 20                  |
| AI N100- 800   | 1"                  | 8"               | 25       | 1                    | 25                  |
| AI N100-1000   | 1"                  | 10"              | 25       | 1.11                 | 27.75               |
| AI N100-1200   | 1"                  | 12"              | 25       | 2.01                 | 50.25               |

| catalog number | conduit size inches | length in inches | box qty. | weight lbs. per unit | weight lbs. per box |
|----------------|---------------------|------------------|----------|----------------------|---------------------|
| AI N125- CL    | 1 1/4"              | CLOSE            | 25       | 0.22                 | 5.5                 |
| AI N125- 200   | 1 1/4"              | 2"               | 25       | 0.28                 | 7                   |
| AI N125- 250   | 1 1/4"              | 2 1/2"           | 25       | 0.37                 | 9.25                |
| AI N125- 300   | 1 1/4"              | 3"               | 25       | 0.37                 | 9.25                |
| AI N125- 350   | 1 1/4"              | 3 1/2"           | 25       | 0.48                 | 12                  |
| AI N125- 400   | 1 1/4"              | 4"               | 25       | 0.56                 | 14                  |
| AI N125- 500   | 1 1/4"              | 5"               | 25       | 0.68                 | 17                  |
| AI N125- 600   | 1 1/4"              | 6"               | 25       | 0.84                 | 21                  |
| AI N125- 800   | 1 1/4"              | 8"               | 25       | 1.01                 | 25.25               |
| AI N125-1000   | 1 1/4"              | 10"              | 25       | 1.02                 | 25.5                |
| AI N125-1200   | 1 1/4"              | 12"              | 25       | 2.01                 | 50.25               |
| AI N150- CL    | 1 1/2"              | CLOSE            | 25       | 0.28                 | 7                   |
| AI N150- 200   | 1 1/2"              | 2"               | 25       | 0.34                 | 8.5                 |
| AI N150- 250   | 1 1/2"              | 2 1/2"           | 25       | 0.44                 | 11                  |
| AI N150- 300   | 1 1/2"              | 3"               | 25       | 0.56                 | 14                  |
| AI N150- 350   | 1 1/2"              | 3 1/2"           | 25       | 0.68                 | 17                  |
| AI N150- 400   | 1 1/2"              | 4"               | 25       | 0.8                  | 20                  |
| AI N150- 500   | 1 1/2"              | 5"               | 25       | 1.03                 | 25.75               |
| AI N150- 600   | 1 1/2"              | 6"               | 25       | 1.24                 | 31                  |
| AI N150- 800   | 1 1/2"              | 8"               | 25       | 1.9                  | 47.5                |
| AI N150-1000   | 1 1/2"              | 10"              | 25       | 2.02                 | 50.5                |
| AI N150-1200   | 1 1/2"              | 12"              | 25       | 3                    | 75                  |
| AI N200- CL    | 2"                  | CLOSE            | 10       | 0.44                 | 4.4                 |
| AI N200- 250   | 2"                  | 2 1/2"           | 10       | 0.6                  | 6.0                 |
| AI N200- 300   | 2"                  | 3"               | 10       | 0.72                 | 7.2                 |
| AI N200- 350   | 2"                  | 3 1/2"           | 10       | 0.88                 | 8.8                 |
| AI N200- 400   | 2"                  | 4"               | 10       | 1.04                 | 10.4                |
| AI N200- 500   | 2"                  | 5"               | 10       | 1.32                 | 13.2                |
| AI N200- 600   | 2"                  | 6"               | 10       | 1.6                  | 16                  |
| AI N200- 800   | 2"                  | 8"               | 5        | 1.01                 | 5.05                |
| AI N200-1000   | 2"                  | 10"              | 5        | 2.9                  | 12.5                |
| AI N200-1200   | 2"                  | 12"              | 5        | 3.05                 | 15.3                |
| AI N250- CL    | 2 1/2"              | CLOSE            | 10       | 0.98                 | 9.8                 |
| AI N250- 300   | 2 1/2"              | 3"               | 10       | 1.04                 | 10.4                |
| AI N250- 350   | 2 1/2"              | 3 1/2"           | 10       | 2                    | 20                  |
| AI N250- 400   | 2 1/2"              | 4"               | 10       | 2.11                 | 21.1                |
| AI N250- 500   | 2 1/2"              | 5"               | 10       | 3                    | 30                  |
| AI N250- 600   | 2 1/2"              | 6"               | 10       | 3.25                 | 32.5                |
| AI N250- 800   | 2 1/2"              | 8"               | 5        | 3.89                 | 19.45               |
| AI N250-1000   | 2 1/2"              | 10"              | 5        | 4.86                 | 24.3                |
| AI N250-1200   | 2 1/2"              | 12"              | 5        | 5.91                 | 29.55               |